



# VACCINES REQUIRED FOR CHILDCARE/PRESCHOOL ATTENDANCE<sup>1</sup>

**July 1, 2007 – June 30, 2008**

Month, Day & Year are required for documentation of all vaccines.

VACCINE <sup>2</sup>	3 - 4 MONTHS	5 - 6 MONTHS	7 - 15 MONTHS	16 - 18 MONTHS	19 MONTHS to SCHOOL ENTRY <sup>3</sup>
<b>HEPATITIS B</b>	Up to 1 dose	Up to 2 doses 2 <sup>nd</sup> dose must be given 1-3 months after the 1 <sup>st</sup> dose	Up to 3 doses 3 <sup>rd</sup> dose must be given on or after 6 months of age and at least 2 months after the 2 <sup>nd</sup> dose	Up to 3 doses	3 doses
<b>DTaP</b>	1 dose	2 doses	3 doses	3 doses	4 doses
<b>Hib</b>	1 dose	2 doses	2 doses	1 dose <sup>4</sup>	
<b>POLIO (IPV or OPV)</b>	1 doses	2 doses	2 doses	2 doses	3 doses
<b>MMR</b>	Not required	Not required	Not required	1 dose Must be given on or after the 1 <sup>st</sup> birthday	
<b>VARICELLA (chickenpox)</b> • Must be received the same day as measles, mumps or rubella or at least 28 days apart.	Not required	Not required	Not required	Not required	1 dose Must be given on or after the first birthday <b>OR</b> parent-reported history of disease

<sup>1</sup> To attend public/private school or licensed child care in WA State, each child must present a signed **Certificate of Immunization Status form** showing proof of 1) full immunization per the 2006 Recommended Childhood Immunization Schedule: [http://www.cdc.gov/vaccines/recs/schedules/downloads/child/2008/08\\_0-6yrs\\_schedule\\_pr.pdf](http://www.cdc.gov/vaccines/recs/schedules/downloads/child/2008/08_0-6yrs_schedule_pr.pdf), 2) an initiation of a schedule of immunization, 3) a medical exemption (with health care provider signature), **OR** 4) personal or religious exemption (with a parent/guardian signature).<sup>1</sup> There is no maximum interval between doses. A series does not need to be restarted if recommended interval is not met. Vaccine doses given  $\leq$  4 days before the minimum interval or age are valid, except for MMR and Varicella.

<sup>2</sup> There is no maximum interval between doses. Even if the recommended interval is not met, the series does not have to be restarted. Vaccine doses given  $\geq$  4 days before the minimum interval or age are valid, except for MMR and Varicella.

<sup>3</sup> School aged children in before- and after-school programs must meet the immunization requirements for their grade in school.

<sup>4</sup> One dose is required IF the only dose of Hib vaccine has been given on or after 15 months of age.