

Keeping Myself and Others Safe

10th Grade Sexual Health Education Lesson

Seattle Public Schools is committed to making its online information accessible and usable to all people, regardless of ability or technology. Meeting web accessibility guidelines and standards is an ongoing process that we are consistently working to improve.

While Seattle Public Schools endeavors to only post documents optimized for accessibility, due to the nature and complexity of some documents, an accessible version of the document may not be available. In these limited circumstances, the District will provide equally effective alternate access.

For questions and more information about this document, please contact the following:

Lisa Love Health Education Manager llove@seattleschools.org

Worksheet for Keeping Myself and Others Safe Lesson 6 for tenth grade sexual health education.

Lesson 6: Keeping Myself and Others Safe

lame
Pate:
Section 1: Warm Up
 Arielle and her girlfriend don't bother using "safer-sex" methods. Since they both have vulvas, they aren't worried about getting pregnant or getting an S.T.I. Are Arielle and her girlfriend correct? Explain.
2. Roger and his girlfriend don't bother using condoms. Since his girlfriend is on the pill, they aren't worried about getting pregnant or getting an S.T.I. Are Roger and his girlfriend correct? Explain.
Section 2: Condom Demonstrations
1. What are 2 important tips to remember when using an <u>external</u> condom?
2. What are 2 important tips to remember when using an internal condom?


Section 3: Safer Sex Methods

Method	Can Protect Against	Types of Sex it Can be Used For	Important Fact
External Condoms			Always check the expiration date on a condom package, and get a new one if it is expired.
Internal Condom		Vaginal sex & Anal sex	
The Ring	Pregnancy		
Dental Dam			Dental dams come in flavors, and can be used with lubricant to increase pleasure during oral sex.
PrEP (Pre- Exposure Prophylaxis)	HIV (Human Immunodeficie ncy Virus)		
The Implant	Pregnancy		

Method	Can Protect Against	Types of Sex it Can be Used For	Important Fact
The Patch			Each patch is worn on the skin for one week and then replaced with a new one. You can even wear it in the shower!
HPV Vaccine	• HPV		
HPV Vaccine	(Human Papillomavirus)		
The Pill SUN MON TUES WED THUR FRE SATE		Vaginal sex	
The IUD (Intrauterine Device)			Once inserted by a healthcare provider, an IUD can remain in the uterus preventing pregnancy for between 5-10 years.
The Shot (Depo Provera)	Pregnancy		
Latex or Nitrile Gloves			When having sex with fingers/hands, be sure to wash hands afterward or touching your own sexual body parts.

Method	Can Protect Against	Types of Sex it Can be Used For	Important Fact
EC (Emergency Contraception)		Vaginal sex	
Waiting (Abstinence)	PregnancyAll STIsIncluding HIV		
PEP (Post-Exposure Prophylaxis)	• HIV		For emergency use up to 72 hours after possible HIV exposure.

Section 4: Safer Sex Debrief



Section 5: Exit Ticket

- 1. List 1 method that prevent pregnancy _____
- 2. List 1 method that prevent STIs ______
- 3. List 1 method that protects from both pregnancy and STIs _____